


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6257

915

No. 64
SPECIAL LIST NO. 64
ORCHIDS
CYPRIPEDIUMS
THIS LIST CANCELS LIST NO. 58



JOHN E. LAGER

HENRY HURRELL

LAGER & HURRELL
Orchid Growers and Importers
SUMMIT, NEW JERSEY

CABLE ADDRESS:
"ABBACHIO" NEW YORK
A. B. C. CODE
4TH AND 5TH EDITIONS USED

LOCAL AND LONG
DISTANCE TELEPHONE
438 W SUMMIT

SEPTEMBER, 1915

DEAR SIR:—

We respectfully beg to call your attention to the undermentioned list of **CYPRIPEDIUMS** which we offer at specially low prices in order to make room for other plants. The plants are in splendid condition and offered at prices that should prove tempting to all lovers of these plants.

In ordering, please use number in left margin only.

| | | |
|-----------------------------------------------------------------------|---|--------|
| 1. C. × Acme (C. nitens × Bessie K. Pitcher)..... | 4 | \$3.50 |
| 2. C × Æson (Druryi × insigne)..... | 4 | 2.50 |
| 3. C. × A. Dimmock (Druryi × Godseffianum)..... | 2 | 5.00 |
| 4. C. × A. Dimmock | 3 | 7.50 |
| 5. C. × A. de Lairess (Curtisii × Rothschildianum)... | 2 | 5.00 |
| 6. C. × Ajax (Polettianum × Lawrenceanum gig.).... | 3 | 12.50 |
| 7. C. × Alcides (insigne var. Maulei × hirsutissimum) | 3 | 1.50 |
| 8. C. × Alcides superbum | 3 | 12.50 |
| 9. C. × Alice (Stonei × Spicerianum)..... | 2 | 1.50 |
| 10. C. × Alice (Stonei × Spicerianum) | 4 | 3.00 |
| 11. C. × Alcibiades superbum (Leecanum gig. × Mons de Curte) | 3 | 10.00 |
| 12. C. × Alum (C. barbatum × Lawrenceanum)..... | 3 | 2.50 |
| 13. C. × Archie Niel (Leeanum Compactum × Hare- field Hall) | 2 | 12.50 |

| No. | Name | No. of Growths | Price |
|-----|--------------------------------------------------------------------------|-------------------|-------|
| 14. | C. × Aphrodite (Niveum × Lawrenceanum)..... | 2 | 10.00 |
| 15. | C. × Ashburtoniæ (barbatum × insigne)..... | 2 | 1.50 |
| 16. | C. × Ashburtoniæ | 4 | 2.50 |
| 17. | C. × Ashburtoniæ expansum | 2 | 2.50 |
| 18. | C. × Astraea (Philippine × Spicerianum)..... | 4 | 2.50 |
| 19. | C. × Augustum (villosum × Haynaldianum)..... | 2 | 1.50 |
| 20. | C. × Augustum | 3 | 2.00 |
| 21. | C. × Augustum | 4 | 2.50 |
| 22. | C. × Augustum specimen | 7 | 10.00 |
| 23. | C. × Albertianum (Spicerianum × insigne, var. Wallacei) | 3 | 1.50 |
| 24. | C. × Albertianum Superbum | 4 | 3.00 |
| 25. | C. × Albert Truffaut (Harrisianum × Spicerianum) | 3 | 3.50 |
| 26. | C. × aureum (nitens × Spicerianum) | 2 | 1.50 |
| 27. | C. × aureum | 4 | 2.50 |
| 28. | C. × aureum Hyeaum (Spicerianum × nitens).... | 2 | 3.50 |
| 29. | C. × aureum Hyeaum | 3 | 5.00 |
| 30. | C. × aureum Hyeaum | 4 | 7.50 |
| 31. | C. × aureum Hyeaum × Mem. Jerninghamii..... | 3 | 15.00 |
| 32. | C. × aureum Surprise..... | 3 | 10.00 |
| 33. | C. × Barbato-Mastersii | 2 | 3.00 |
| 34. | C. × Baron Schröder (Fairieanum × œnanthum Sup.) | 3 | 5.00 |
| 35. | C. × Baron Schröder | 4 | 7.50 |
| 36. | C. × Beatrice (Boxallii × Lowii) | 3 | 2.50 |
| 37. | C. × Beatrice | 4 | 3.00 |
| 38. | C. × Beatrice | 6 | 5.00 |
| 39. | C. × Beekmanii × Mons de Curte | 3 | 15.00 |
| 40. | C. × Bessie K. Pitcher (Leeanum × Villosum)..... | 3 | 2.50 |
| 41. | C. × Bessie K. Pitcher | 4 | 3.50 |
| 42. | C. × Bessie K. Pitcher | 5 | 4.50 |
| 43. | C. × Blanche Moore | 3 | 15.00 |
| 44. | C. × Beryl West Point var. (C. × Beekmannii × Mrs. Martyn) | 2 | 30.00 |
| 45. | C. × Beryl West Point var. | 3 | 40.00 |
| 46. | C. Boxallii | 3 | 2.50 |
| 47. | C. Boxallii | 4 | 3.50 |
| 48. | C. Boxallii atratum | 3 | 3.50 |
| 49. | C. Boxallii dilectum | 3 | 3.50 |
| 50. | C. Boxallii dilectum | 4 | 5.00 |
| 51. | C. × Boxalii × Thompsonii | 2 | 15.00 |
| 52. | C. × Bragaianum (hirsutissimum cœrulescens × Boxallii altratum) | 3 | 2.50 |
| 53. | C. × Bragaianum | 4 | 3.00 |
| 54. | C. × Bragaianum | 5 | 4.00 |
| 55. | C. × Bragaianum | 6 | 5.00 |
| 56. | C. × Bragaianum | 7 | 6.00 |
| 57. | C. × Buchanianum (Druryii × Spicerianum) | 2 | 2.50 |
| 58. | C. × Calanthum (Barbatum Crossii × Lowii)..... | 2 | 3.50 |
| 59. | C. Callosum | 4 | 2.50 |
| 60. | C. callosum Sanderae | 3 | 15.00 |
| 61. | C. × Calypso Oakwood var. (Spicerianum × Box- allii) | 3 | 2.00 |
| 62. | C. × Calypso Oakwood var..... | 4 | 3.00 |
| 63. | C. × Chas. Canham (villosum × superbiens)..... | 1 | 1.50 |
| 64. | C. × Chas. Canham..... | 2 | 2.50 |
| 65. | C. × Chas. Canham | 3 | 3.50 |
| 66. | C. Chamberlainianum | 1 | 5.00 |
| 67. | C. Chamberlainianum | 2 | 7.50 |
| 68. | C. × Chamberlainianum × Mastersii | 2 | 5.00 |
| 69. | C. Charlesworthi | 3 | 2.00 |
| 70. | C. Charlesworthi | 4 | 2.50 |
| 71. | C. × Colmanii nigrum (Harrisianum × Javanicum) | 3 | 3.00 |
| 72. | C. × conspicum (Harrisianum × villosum)..... | 3 | 2.50 |
| 73. | C. × Creon (Harrisianum superbum × œanthum superbum) | 3 | 1.50 |

| No. | Name | No. of Growths | Price |
|------|----------------------------------------------------------------------------------|-------------------|-------|
| 74. | C. × Crossianum palidum (insigne × venustum pardinum) | 2 | 1.50 |
| 75. | C. × Crossianum palidum | 3 | 2.00 |
| 76. | C. × Crossianum Tautzianum | 3 | 2.50 |
| 77. | C. × Curtisii × purpuratum | 3 | 3.50 |
| 78. | C. × Curtemanii Magnificum Lows var. (Mons. de Curte × Beeckmannii) | 2 | 35.00 |
| 79. | C. × Dauthierii (barbatum × villosum) | 4 | 1.50 |
| 80. | C. × Dauthierii marmoratum | 3 | 1.50 |
| 81. | C. × Dibdin (Argus × Boxallii) | 2 | 1.50 |
| 82. | C. × Dibdin | 4 | 2.50 |
| 83. | C. × Donatianum (Harrisianum × insigne Wiotti) | 2 | 2.50 |
| 84. | C. × Dora | 2 | 12.50 |
| 85. | C. Druryii | 2 | 2.50 |
| 86. | C. × Duchess (aureum × insigne) | 2 | 12.50 |
| 87. | C. × Duchess of Sutherland (Rothschildianum × Youngianum) | 2 | 5.00 |
| 88. | C. × Edithæ (Chamberlainianum × bellatulum) | 2 | 7.50 |
| 89. | C. × Enfieldense (Lawrenceanum × Hookeræ) | 3 | 3.50 |
| 90. | C. × Eismannii (Boxallii × Harrisianum) | 2 | 2.50 |
| 91. | C. × Eismannii | 3 | 3.50 |
| 92. | C. × Evelyn Ames (Calypso × Leeanum) | 2 | 3.50 |
| 93. | C. Fairieanum | 4 | 5.00 |
| 94. | C. × Fairy Queen (Curtisii × Druryii) | 3 | 10.00 |
| 95. | C. × Fowleri (callosum × Rothschildianum) | 3 | 5.00 |
| 96. | C. × Fulshawense (Boxallii × Insigne Harefield Hall) | 2 | 12.50 |
| 97. | C. × Gay Gordon | 2 | 12.50 |
| 98. | C. × Gay Gordon | 3 | 18.00 |
| 99. | C. × Galatea (Harrisianum × Insigne) | 2 | 2.50 |
| 100. | C. × Gaudianum (Curtisii × Harrisianum Sup.) XX | 1 | 15.00 |
| 101. | C. × Germinyanum (hirsutissimum × villosum) | 3 | 1.50 |
| 102. | C. × Germinyanum | 4 | 2.00 |
| 103. | C. × Germinyanum | 6 | 3.00 |
| 104. | C. × Gravesiæ (Argus × nitens) | 1 | 5.00 |
| 105. | C. × Gowerianum magnificum (curtisii × Lawrenceanum) | 1 | 5.00 |
| 106. | C. × Gratrixianum (Bellatulum × Enfieldense) | 3 | 5.00 |
| 107. | C. × gigas (Lawrenceanum × Harrisianum) | 2 | 1.50 |
| 108. | C. × gigas | 3 | 2.50 |
| 109. | C. × gigas Corndeani | 2 | 3.50 |
| 110. | C. × gigas Corndeani | 3 | 5.00 |
| 111. | C. × Harrisianum (Villosum × barbatum) | 3 | 1.00 |
| 112. | C. × Harrisianum | 5 | 1.50 |
| 113. | C. × Harrisianum superbum | 1 | 1.50 |
| 114. | C. × Harrisianum superbum | 2 | 2.50 |
| 115. | C. × Harrisianum superbum | 3 | 3.00 |
| 116. | C. × Harrisianum Viridiflorum (flowers all green) | 2 | 3.50 |
| 117. | C. × Harveyanum (Stonei × Leeanum) | 5 | 3.50 |
| 118. | C. × Harlequin | 2 | 3.50 |
| 119. | C. Haynaldianum | 1 | 2.00 |
| 120. | C. Haynaldianum | 2 | 3.00 |
| 121. | C. × Hera Mrs. Tautz (Nitens × Spicerianum) | 2 | 3.50 |
| 122. | C. hirsutissimum | 3 | 1.50 |
| 123. | C. × Hitchense × Harefield Hall | 2 | 12.50 |
| 124. | C. × Hybridum (barbatum × villosum) | 4 | 1.50 |
| 125. | C. × Hybridum | 6 | 2.50 |
| 126. | C. × Ianthe (Harrisianum × venustum) | 2 | 2.00 |
| 127. | C. × Ianthe | 3 | 2.50 |
| 128. | C. × Ingens (insigne × Rothschildianum) | 2 | 5.00 |
| 129. | C. Insigne , 4—4½ inch pots | 4—5 | 1.50 |
| 130. | C. Insigne , 5 inch pots | 7—10 | 2.00 |
| 131. | C. Insigne , 6 inch pots | 12—15 | 2.50 |
| 132. | C. Insigne , 7 inch pots | 16—20 | 3.50 |

| No. | Name | No. of Growths | Price |
|------|---------------------------------------------------|-------------------|-------|
| 133. | C. Insigne, 10 inch pans full..... | | 10.00 |
| 134. | C. Insigne Amesianum | 3 | 2.00 |
| 135. | C. Insigne Brugense | 2 | 2.50 |
| 136. | C. Insigne Brugense | 3 | 3.50 |
| 137. | C. Insigne Chantinii | 2 | 2.00 |
| 138. | C. Insigne Chantinii | 4 | 3.50 |
| 139. | C. Insigne Coulsonianum, one of the finest..... | 2 | 2.50 |
| 140. | C. Insigne Coulsonianum | 3 | 3.50 |
| 141. | C. Insigne Fostermannii | 4 | 3.50 |
| 142. | C. Insigne Gravesianum | 2 | 3.00 |
| 143. | C. Insigne Harefield Hall | 2 | 3.50 |
| 144. | C. Insigne Harefield Hall | 3 | 5.00 |
| 145. | C. Insigne Harefield Hall | 4 | 7.50 |
| 146. | C. Insigne Harefield Hall | 5 | 10.00 |
| 147. | C. Insigne Hurrellianum | 3 | 2.50 |
| 148. | C. Insigne Hurrellianum | 4 | 3.00 |
| 149. | C. Insigne Hurrellianum | 5 | 4.00 |
| 150. | C. Insigne Lageræ | 2 | 3.50 |
| 151. | C. Insigne Lageræ | 3 | 5.00 |
| 152. | C. Insigne Lageræ | 4 | 7.50 |
| 153. | C. Insigne Lindeniae | 4 | 2.50 |
| 154. | C. Insigne Lindeniae | 6 | 3.50 |
| 155. | C. Insigne Maculatum | 4 | 3.50 |
| 156. | C. Insigne Maulei | 3 | 3.00 |
| 157. | C. Insigne Monarch × Nitens | 3 | 15.00 |
| 158. | C. li McNabianum, a grand variety..... | 3 | 2.50 |
| 159. | C. Insigne Aureola, yellow variety..... | 4 | 3.00 |
| 160. | C. Insigne Auerola, yellow variety..... | 5 | 4.00 |
| 161. | C. Insigne Balliæ, yellow variety..... | 4 | 3.00 |
| 162. | C. Insigne Brightness, yellow variety..... | 2 | 5.00 |
| 163. | C. Insigne Brightness, yellow variety..... | 3 | 7.50 |
| 164. | C. Insigne Chantini Lindeni, yellow variety..... | 2 | 3.50 |
| 165. | C. Insigne Chantini Lindeni, yellow variety..... | 3 | 4.00 |
| 166. | C. Insigne Chantini Lindeni, yellow variety..... | 4 | 5.00 |
| 167. | C. Insigne Dorothy, yellow variety..... | 4 | 5.00 |
| 168. | C. Insigne Eyermannii, yellow variety..... | 4 | 2.00 |
| 169. | C. Insigne Eyermannii, yellow variety..... | 6 | 3.00 |
| 170. | C. Insigne Laura Kimball, yellow variety..... | 2 | 3.50 |
| 171. | C. Insigne Laura Kimball, yellow variety..... | 3 | 5.00 |
| 172. | C. Insigne Laura Kimball, yellow variety..... | 4 | 7.50 |
| 173. | C. Insigne Luciani, yellow variety..... | 2 | 5.00 |
| 174. | C. Insigne Luciani, yellow variety..... | 3 | 7.50 |
| 175. | C. Insigne Luciani, yellow variety..... | 4 | 10.00 |
| 176. | C. Insigne W. M. Dow, yellow variety..... | 3 | 3.50 |
| 177. | C. Insigne Sanderæ, yellow variety..... | 2 | 3.00 |
| 178. | C. Insigne Sanderæ, yellow variety..... | 3 | 4.50 |
| 179. | C. Insigne Sanderæ, yellow variety..... | 4 | 5.00 |
| 180. | C. Insigne Sanderæ, yellow variety..... | 5 | 6.00 |
| 181. | C. Insigne Sanderæ, yellow variety..... | 6 | 7.50 |
| 182. | C. Insigne Sanderianum Giganteum, yellow variety | 4 | 7.50 |
| 183. | C. Insigne Westgatense, yellow variety..... | 3 | 3.00 |
| 184. | C. Insigne Westgatense, yellow variety..... | 4 | 4.00 |
| 185. | C. Insigne Westgatense, yellow variety..... | 5 | 5.00 |
| 186. | C. Insigne Westgatense, yellow variety..... | 6 | 6.00 |
| 187. | C. Insigne Xanthinum, yellow variety..... | 3 | 3.00 |
| 188. | C. Insigne Xanthinum, yellow variety..... | 4 | 4.00 |
| 189. | C. × Jas. Garfield (regale × tonsum)..... | 2 | 3.50 |
| 190. | C. × Jas. K. Polk (Chamberlainianum × nitens).... | 2 | 3.50 |
| 191. | C. × Joseph Howes (Sallierii × Villosum Aureum) | 4 | 2.50 |
| 192. | C. × Josephianum (Druryi × Javanico-superbiens) | 2 | 1.50 |
| 193. | C. × Josephianum | 3 | 2.50 |
| 194. | C. × Josephianum | 4 | 3.00 |
| 195. | C. × Juno (Callosum × Fairieanum) | 3 | 10.00 |
| 196. | C. Laevigatum | 1 | 2.50 |
| 197. | C. Lawrenceanum | 2 | 1.50 |

| No. | Name | No. of Growths | Price |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------|
| 198. | C. Lawrenceanum | 3 | 2.50 |
| 199. | C. Lawrenceanum Hyeaenum | 3 | 15.00 |
| 200. | C. × Laforcadei (barbatum × insigne Chantinii) | 2 | 2.50 |
| 201. | C. × Lanerianum | 5 | 2.00 |
| 202. | C. × Lathamianum (Spicerianum × villosum) | 2 | 1.50 |
| 203. | C. × Lathamianum. Negley's variety. A superior form of the preceding | 2 | 2.00 |
| 204. | C. × Lathamianum, Negley's variety | 3 | 2.50 |
| 205. | C. × Lathamianum, Negley's variety | 5 | 4.00 |
| 206. | C. × Leander (Leeanum × villosum) | 2 | 2.00 |
| 207. | C. × Leander | 3 | 2.50 |
| 208. | C. × Leeaenum (insigne × Spicerianum) | 5 | 2.00 |
| 209. | C. × Leeaenum | 8 | 3.00 |
| 210. | C. Leeaenum | 10 | 3.50 |
| 211. | C. × Leeaenum Aureum | 3 | 2.00 |
| 212. | C. × Leeaenum Aureum | 4 | 2.50 |
| 213. | C. × Aureum | 5 | 3.00 |
| 214. | C. × Leeaenum Clinkaberryanum. This grand Cy- pripedium stands unrivaled today for its charming beauty and distinctiveness | 3 | 3.00 |
| 215. | C. × Leeaenum Clinkaberryanum | 4 | 4.00 |
| 216. | C. × Leeaenum Clinkaberryanum | 5 | 5.00 |
| 217. | C. × Leeaenum Clinkaberryanum | 6 | 6.00 |
| 218. | C. × Leeaenum Lutescens | 3 | 2.50 |
| 219. | C. × Leeaenum Lutescens | 5 | 3.50 |
| 220. | C. × Leeaenum Grandiflorum | 4 | 3.50 |
| 221. | C. × Leeaenum Massereelianum | 2 | 3.00 |
| 222. | C. × Leeaenum Nigrum | 3 | 3.00 |
| 223. | C. × Leeaenum pulchellum | 5 | 2.50 |
| 224. | C. × Leeaenum pulchellum | 6 | 3.00 |
| 225. | C. × Ledouxiae (callosum × Harrisianum) | 2 | 3.50 |
| 226. | C. × Lobengula (Harrisianum nigrum × villosum) | 2 | 2.50 |
| 227. | C. × Lobengula | 4 | 3.50 |
| 228. | C. × Lord Derby (Veitchii × Rothschildianum) | 2 | 7.50 |
| 229. | C. × luridum (Lawrenceanum × villosum super- bum) | 3 | 1.50 |
| 230. | C. × luridum | 4 | 2.50 |
| 231. | C. × luridum purpureum | 2 | 2.50 |
| 232. | C. × Macropterum (Lowii × superbiens) | 3 | 7.50 |
| 233. | C. × Mahleræ (Rothschildianum × Lawrenceanum) | 2 | 5.00 |
| 234. | C. × Mahleræ | 3 | 7.50 |
| 235. | C. × Mahleræ | 4 | 10.00 |
| 236. | C. × Mangoldii | 2 | 2.50 |
| 237. | C. × Mangoldii | 3 | 3.50 |
| 238. | C. × Mangoldii | 4 | 5.00 |
| 239. | C. × Marstonæ (Callosum × Insigne Sanderæ) | 3 | 15.00 |
| 240. | C. × Massaiana (Rotschildianum × superciliare) | 1 | 2.50 |
| 241. | C. × Massaiana | 3 | 7.50 |
| 242. | C. × Maudiae (Lawrenceanum, var. Hyeaenum × collosum, var. Sanderæ) | 1 | 7.50 |
| 243. | C. × Maudiae | 2 | 12.50 |
| 244. | C. × Maudiae | 3 | 15.00 |
| 245. | C. × Memoria-Mcensii (Spicerianum × ænanthum superbum) | 2 | 3.50 |
| 246. | C. × Minos Lowii (Spicerianum × Arthurianum pulchellum) | 2 | 2.50 |
| 247. | C. × Minos Lowii | 3 | 3.00 |
| 248. | C. × Minos Lowii | 4 | 3.50 |
| 249. | C. × Minos Lowii | 6 | 5.00 |
| 250. | C. × Minos Youngii (Arthurianum × Spicerianum) | 2 | 5.00 |
| 251. | Mile. Madeline Gayot (Dayanum × insigne Chantinii) | 2 | 3.50 |
| 252. | C. × Mme. Barbey (Lawrenceanum × tonsum) | 2 | 2.50 |
| 253. | C. × Mrs. Chas. Canham (superbiens × villosum) | 2 | 1.50 |
| 254. | C. × Mrs. Chas. Canham | 3 | 2.50 |

| No. | Name | No. of Growths | Price |
|------|------------------------------------------------------------------------|-------------------|-------|
| 255. | C. × Mrs. Chas. Canham | 6 | 5.00 |
| 256. | C. × Mons. de Curte × Clinkaberryanum | 2 | 12.50 |
| 257. | C. × Mons. de Curte × Clinkaberryanum | 3 | 18.00 |
| 258. | C. × Niobe (Short Hills, var. Fairieanum × Spicerianum superbum) | 3 | 4.00 |
| 259. | C. × Niobe (Short Hills var.) | 4 | 5.00 |
| 260. | C. × Nitens (villosum × insigne Maulei) | 3 | 1.50 |
| 261. | C. × Nitens | 4 | 2.50 |
| 262. | C. × Nitens Gravesianum | 3 | 2.50 |
| 263. | C. × Nitens Gravesianum | 4 | 3.00 |
| 264. | C. × Nitens Gravesianum | 6 | 5.00 |
| 265. | C. × Orphanum (barbatum × Druryi) | 2 | 3.50 |
| 266. | C. × Olivia (Niveum × tonsum) | 2 | 5.00 |
| 267. | C. × Osbornei (Harrisianum superbum × Spicerianum) | 2 | 2.50 |
| 268. | C. Parishii | 1 | 2.50 |
| 269. | C. × Pavonianum iaversum (Boxallii × Venustum) | 4 | 2.50 |
| 270. | C. × Pitcherianum (Harrisianum superbum × Spicerianum) | 3 | 2.50 |
| 271. | C. × Pitcherianum | 4 | 3.50 |
| 272. | C. × Premier (Beechense × Rothschildianum) | 2 | 2.00 |
| 273. | C. × Premier | 3 | 3.00 |
| 274. | C. × Premier | 4 | 4.00 |
| 275. | C. × Prewetii (Harrisianum sup. × Lawrenceanum) | 3 | 2.50 |
| 276. | C. × Prewetii | 4 | 3.00 |
| 277. | C. × Priapus (Phillippinense × villosum) | 2 | 2.50 |
| 278. | C. × Priapus | 4 | 3.50 |
| 279. | C. × Princess (Coffinet × Fairieanum) | 2 | 7.50 |
| 280. | C. × Radiusum (Lawrenceanum × Spicerianum) | 4 | 2.50 |
| 281. | C. × Reynaldi (Boxallii × villosum) | 2 | 3.50 |
| 282. | C. × Reginaldianum (insigne × Siamense) | 2 | 3.50 |
| 283. | C. Rothschildianum | 1 | 3.50 |
| 284. | C. Rothschildianum | 2 | 5.00 |
| 285. | C. Rothschildiano-Boxallii | 2 | 3.50 |
| 286. | C. Rothschildiano-Boxallii | 3 | 5.00 |
| 287. | C. Rothschildiano-superbiens | 2 | 5.00 |
| 288. | C. Rothschildiano-superbiens | 3 | 7.50 |
| 289. | C. Rothschildiano-superbiens | 4 | 10.00 |
| 290. | C. Rothschildiano-tonsum | 3 | 7.50 |
| 291. | C. × Rosetii (insigne Sanderianum × Mandiæ) | 2 | 5.00 |
| 292. | C. × Sallieri (insigne × villosum) | 4 | 2.00 |
| 293. | C. × Sallieri aureum | 3 | 2.50 |
| 294. | C. × Sallieri aureum | 4 | 3.00 |
| 295. | C. × Sallieri aureum | 5 | 4.00 |
| 296. | C. × Sallieri nigro maculatum | 4 | 3.50 |
| 297. | C. × Sallieri nigro maculatum | 5 | 4.00 |
| 298. | C. × Sallieri nigro maculatum | 6 | 5.00 |
| 299. | C. × Sallieri nigro maculatum | 8 | 7.50 |
| 300. | C. × Sallieri pictum | 3 | 2.50 |
| 301. | C. × Sallieri pictum | 4 | 3.00 |
| 302. | C. × Sallieri pictum | 5 | 4.00 |
| 303. | C. × Sallieri playpetalum | 3 | 2.00 |
| 304. | C. × Sallieri playpetalum | 5 | 3.50 |
| 305. | C. × Schlesingerianum (Boxallii × insigne Maulei) | 3 | 2.50 |
| 306. | C. × Schlesingerianum | 4 | 3.00 |
| 307. | C. × Selligerum (barbatum × Philippinense) | 2 | 1.50 |
| 308. | C. × Selligerum Majus | 2 | 2.50 |
| 309. | C. × Selligerum porphyreum | 2 | 2.50 |
| 310. | C. × Siebertianum (Dayanum × insigne) | 2 | 3.50 |
| 311. | C. × Sibyrolense (Boxallii × insigne) | 3 | 2.00 |
| 312. | C. × Sibyrolense | 4 | 2.50 |
| 313. | C. Spicerianum | 4 | 2.50 |
| 314. | C. Stonei Canaertianum | 2 | 5.00 |
| 315. | C. Superbiens (Veitchii) | 3 | 3.50 |

| No. | Name | No. of Growths | Price |
|------|-------------------------------------------------------------------------------------|-------------------|-------|
| 316. | C. × Swinburnii magnificum (Argus × insigne).... | 2 | 3.50 |
| 317. | C. × Swinburnii magnificum (Argus × insigne.... | 3 | 5.00 |
| 318. | C. × T. B. Haywood (Druryi × superbiens)..... | 2 | 2.00 |
| 319. | C. × T. B. Haywood | 3 | 2.50 |
| 320. | C. × Tenue | 3 | 1.50 |
| 321. | C. × Tenue | 4 | 2.00 |
| 322. | C. × Thalia, Mrs. Francis Wellesley (insigne × Schroederi) | 2 | 7.50 |
| 323. | C. × Thetis (venustum × barbatum) | 2 | 1.50 |
| 324. | C. × Thompsonii (Spicerianum × villosum) | 3 | 3.50 |
| 325. | C. × Thompsonii | 4 | 5.00 |
| 326. | C. × Thompsonii | 5 | 6.00 |
| 327. | C. × Tityus (Spicerianum × œnanthum super- •bum) | 2 | 2.50 |
| 328. | C. Tonsum | 1 | 1.50 |
| 329. | C. × tonso-Arthurianum | 3 | 2.00 |
| 330. | C. × tonso-Arthurianum | 4 | 2.50 |
| 331. | C. × tonso-Charlesworthi | 3 | 2.50 |
| 332. | C. × tonso-Charlesworthi | 4 | 3.50 |
| 333. | C. × tonso-Charlesworthi | 5 | 5.00 |
| 334. | C. × tonso-Sanderæ | 4 | 3.50 |
| 335. | C. × tonso-villosum | 2 | 1.50 |
| 336. | C. × tonso-villosum | 4 | 2.50 |
| 337. | C. × Transvaal (Chamberlainianum × Rothschild- dianum) | 1 | 3.50 |
| 338. | C. × Transvaal | 2 | 5.00 |
| 339. | C. × Transvaal | 3 | 7.50 |
| 340. | C. × triumphans (nitens × œnanthum)..... | 3 | 7.50 |
| 341. | C. × Troilum (Sallierii Hyeaenum × insigne San- deræ) | 3 | 2.50 |
| 342. | C. × Vernixium (Argus × villosum) | 2 | 1.50 |
| 343. | C. × Vernixium | 4 | 2.50 |
| 344. | C. × Ville de Paris (insigne Harefield Hall × Nitens) | 2 | 12.50 |
| 345. | C. × Ville de Paris | 3 | 18.00 |
| 346. | C. Villosum | 4 | 2.50 |
| 347. | C. × William Lloyd magnificum Charlesworth's var. (bellatulum × Swanianum) | 2 | 10.00 |
| 348. | C. × William Lloyd magnificum Charlesworth's var. | 3 | 12.50 |
| 349. | C. × William McKinley | 1 | 5.00 |
| 350. | C. × William McKinley | 2 | 7.50 |
| 351. | C. C. × W. R. Lee (superbiens × Rothschildianum) | 2 | 5.00 |
| 352. | C. × W. R. Lee | 3 | 7.50 |
| 353. | C. × W. W. Lunt (Boxallii × insigne) | 3 | 2.50 |
| 354. | C. × W. W. Lunt | 5 | 3.50 |
| 355. | C. × W. W. Lunt (Specimen) | 8 | 7.50 |
| 356. | C. × Williamsianum (Harrisianum × villosum).... | 2 | 1.50 |
| 257. | C. × Winnianum (villosum × Druryi) | 3 | 2.50 |
| 358. | C. × Zampa (hirutissimum & Leeaenum)..... | 2 | 2.50 |

SELENIPEDIUM SECTION.

| | | | |
|------|----------------------------------------------------------------------|---|------|
| 359. | C. × Albo purpureum (Schlimii × Dominicanum).... | 3 | 1.50 |
| 360. | C. × Baconis (conchiferum × Schlimii) | 5 | 2.50 |
| 361. | C. × Brysa (Boissierianum × Sedeni candidulum).. | 2 | 3.50 |
| 362. | C. × Brysa, large growths | 3 | 5.00 |
| 363. | C. × Brownii (leucorrhodum × longifolium, var. magniflorum) | 2 | 2.50 |
| 364. | C. × Brownii | 3 | 3.00 |
| 365. | C. × Brownii leucoglossum | 3 | 3.50 |
| 366. | C. × Cunia (longiflorum × Stonei?) | 3 | 1.50 |
| 367. | C. × conchiferum (caricinum × longifolium var. Hartwegii) | 3 | 1.50 |
| 368. | C. × Calurum (longiflorum × Sedeni) | 4 | 2.00 |
| 369. | C. × Calurum | 5 | 3.00 |
| 370. | C. × Cardinale (Sedenii × Schlimi Albiflorum).... | 4 | 2.00 |

| No. | Name | No. of Growths | Price |
|------|----------------------------------------------------------------------------------------------------------------------|-------------------|-------|
| 371. | C. × Cardinale | 6 | 3.00 |
| 372. | C. Caudatum . Very scarce | 2 | 2.50 |
| 373. | C. Caudatum . Very scarce | 3 | 3.50 |
| 374. | C. × Cleola (reticulatum × Schlimii albiflorum).... | 3 | 2.00 |
| 375. | C. × Dominianum (caricinum × caudatum) | 3 | 1.50 |
| 376. | C. × Eastonii (Longifolium & Lindleyanum) | 2 | 1.50 |
| 377. | C. × Eastonii | 3 | 2.50 |
| 378. | C. × Eastonii | 4 | 3.50 |
| 379. | C. × Grande (caudatum × longifolium) | 2 | 1.50 |
| 380. | C. × Grande | 3 | 2.50 |
| 381. | C. × Geralda (caudatum × Lindleyanum) | 2 | 5.00 |
| 382. | C. × Leucorrhodum (Roezlii × Schlimi Albiflorum) | 2 | 1.50 |
| 383. | C. × Leucorrhodum | 3 | 2.50 |
| 384. | C. Lindleyanum | 2 | 5.00 |
| 385. | C. Lindleyanum × C. leucorrhodum | 2 | 5.00 |
| 386. | C. Magniflorum | 2 | 3.50 |
| 387. | C. × Marcochilum giganteum (grande × Urope- dium Lindenii) | 2 | 10.00 |
| 388. | C. × Mrs. W. A. Roebling (caudatum × leucorrhodum) | 2 | 1.50 |
| 389. | C. × Mrs. W. A. Roebling | 3 | 2.50 |
| 390. | C. × Mrs. W. A. Roebling | 4 | 3.50 |
| 391. | C. × Nitidissimum (caudatum × Warscewiczii).... | 2 | 2.50 |
| 392. | C. × Nitidissimum | 3 | 3.50 |
| 393. | C. × Nitidissimum | 4 | 4.50 |
| 394. | C. × Penelaus (calurum × caudatum) | 2 | 5.00 |
| 395. | C. × Perseus (Sedeni porphyreum × Lindleyanum) | 2 | 5.00 |
| 396. | C. × Roezelii | 2 | 2.00 |
| 397. | C. × Roezelii | 3 | 3.00 |
| 398. | C. Sargentianum | 2 | 3.50 |
| 399. | C. × Saundersianum (caudatum × Schlimii)..... | 3 | 3.00 |
| 400. | C. × Schröderæ (caudatum × Sedeni)..... | 2 | 1.00 |
| 401. | C. × Schröderæ | 3 | 1.50 |
| 402. | C. × Schröderæ | 4 | 2.00 |
| 403. | C. × Sedeni (Schlimii × longlifolium) | 4 | 1.50 |
| 404. | C. × Sedeni | 5 | 2.00 |
| 405. | C. × Sedeni | 6 | 2.50 |
| 406. | C. × Sedeni candidulum (longifolium × Schlimii).. | 2 | 1.50 |
| 407. | C. × Sedeni candidulum | 3 | 2.50 |
| 408. | C. × Tenellum (longifolium magnificum × Schlimii) | 2 | 1.50 |
| 409. | C. × Tenellum | 3 | 2.00 |
| 410. | C. × Tenellum | 4 | 2.50 |
| 411. | C. × Titanum (Lindleyanum × longifolium) very large | 2 | 5.00 |
| 412. | C. × Uranus (Lindleyanum × grande) | 2 | 2.00 |
| 413. | C. × Uranus | 3 | 3.00 |
| 414. | C. × Uranus | 4 | 4.00 |
| 415. | C. × Urgandæ, Graves' var. (Lindleyanum × Roezli roseum). A magnificent large growing Cypripedium | 3 | 3.50 |
| 416. | C. × Urgandæ, Graves' var. | 4 | 5.00 |

We also wish to recommend out large stock of other established Orchids outside of Cypripediums; special lists of which may be had on application.

Also freshly imported Orchids in variety in season.

We also furnish supplies for Orchids, such as selected Orchid peat, live Sphagnum Moss, Orchid Baskets, Books on Orchids, etc.

Write for our illustrated catalogue.

Trusting to be favored with your valued order, we are, dear sirs,

Yours respectfully,

LAGER & HURRELL,